


**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	h	h1	L	Ağırlık
mm	mm	mm	mm	kg
40-20		95		0,18
40-25		95		0,19
40-32		95		0,20
50-20		102		0,34
50-25		102		0,35
50-32		102		0,38
50-40		102		0,39
63-20		109		0,35
63-25	88	185	161	0,44
63-32	88	189	161	0,45
63-40	88	188	161	0,46
63-50	88	184	161	0,47
63-63		158		0,80
75-20		114		0,36
75-25	88	185	161	0,53
75-32	88	189	161	0,54
75-40	88	188	161	0,55
75-50	88	184	161	0,55
75-63		162		0,49
90-20		140		0,66
90-25	87	184	161	0,49
90-32	87	187	161	0,50
90-40	87	183	161	0,51
90-50	93	189	161	0,52
90-63		180		0,72



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11



Çap	h	h1	L	Ağırlık
mm	mm	mm	mm	kg
110-20		150		0,73
110-25	93	192	161	0,60
110-32	93	192	161	0,61
110-40	93	186	161	0,62
110-50	91	186	161	0,63
110-63		165		0,78
125-20		157		0,75
125-25	91	190	161	0,57
125-32	91	190	161	0,59
125-40	91	185	161	0,59
125-50	80	175	161	0,60
125-63		173		0,80
140-20		165		0,92
140-25	80	179	161	0,59
140-32	80	179	161	0,59
140-40	80	175	161	0,61
140-50	78	173	161	0,62
140-63		180		0,96
160-20		175		0,93
160-25	78	177	161	0,57
160-32	78	177	161	0,59
160-40	78	177	161	0,59
160-50	78	171	161	0,60
160-63		190		1,00
180-20		185		0,93



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	h	h1	L	Ağırlık
mm	mm	mm	mm	kg
180-25	74	169	162	0,68
180-32	74	172	162	0,69
180-40	74	172	162	0,69
180-50	74	166	162	0,71
180-63		200		1,01
200-20		195		0,89
200-25	72	165	162	0,67
200-32	72	171	162	0,68
200-40	72	171	162	0,69
200-50	72	166	162	0,70
200-63		210		0,94
225-20		207		0,90
225-25	69	164	162	0,69
225-32	69	168	162	0,71
225-40	69	168	162	0,71
225-50	69	162	162	0,72
225-63		222		0,95
250-20		225		0,54
250-25	66	161	162	0,71
250-32	66	165	162	0,73
250-40	66	175	162	0,73
250-50	66	158	162	0,74
250-63		250		0,58
280-20		240		0,49
280-25	66	161	162	0,73



POLİBOR

PLASTİK




**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**

HDPE EF SADDLE PN16 / SDR 11




Çap	h	h1	L	Ağırlık
mm	mm	mm	mm	kg
280-32	66	165	162	0,74
280-40	66	165	162	0,75
280-50	66	156	162	0,76
280-63		265		0,58
315-20		267		0,51
315-25	62	157	162	0,79
315-32	62	162	162	0,80
315-40	62	160	162	0,81
315-50	62	156	162	0,82
315-63		288		0,55
355-20		287		0,46
355-25	62	157	162	0,85
355-32	62	162	162	0,86
355-40	62	160	162	0,87
355-50	62	156	162	0,88
355-63		307		0,55
400-20		310		0,48
400-25	62	157	162	0,95
400-32	62	162	162	0,96
400-40	62	160	162	0,97
400-50	62	160	162	0,98
400-63		330		0,52
450-20		335		0,43
450-25		335		0,44
450-32		365		0,45



**HDPE ELEKTROFÜZYON SEMER PN10 /
SDR 17**
HDPE EF SADDLE PN10 / SDR 17




Çap	L	Ağırlık
mm	mm	kg
315-280	170	8,50
355-280	170	8,50
400-280	170	8,50
400-315	170	12,80
400-355	170	15,00
450-280	170	8,50
450-315	170	12,80
500-280	170	8,50
500-315	170	12,80
500-355	170	15,00
560-280	170	8,50
560-315	170	12,80
560-355	170	15,00
560-400	215	42,00
560-450	215	42,00
630-280	170	8,50
630-315	170	12,80
630-355	170	15,00
630-400	215	42,00
630-450	215	42,00
630-500	215	42,00
710-280	170	8,50
710-315	170	12,80
710-355	170	15,00
710-400	215	42,00



**HDPE ELEKTROFÜZYON SEMER PN10 /
SDR 17**
HDPE EF SADDLE PN10 / SDR 17




Çap	L	Ağırlık
mm	mm	kg
710-450	215	42,00
710-500	215	42,00
800-280	170	8,50
800-315	170	12,80
800-355	170	15,00
800-400	215	42,00
800-450	215	42,00
800-500	215	42,00
900-280	170	8,50
900-315	170	12,80
900-355	170	14,00
900-400	215	42,00
900-450	215	42,00
900-500	215	42,00
1000-280	170	8,50
1000-315	170	12,80
1000-355	170	14,00
1000-400	215	42,00
1000-450	215	42,00
1000-500	215	42,00
1200-280	170	8,50
1200-315	170	12,80
1200-355	170	14,00
1200-400	215	42,00
1200-450	215	42,00



**HDPE ELEKTROFÜZYON SEMER PN10 /
SDR 17**
HDPE EF SADDLE PN10 / SDR 17




Çap	L	Ağırlık
mm	mm	kg
1200-500	215	42,00
1400-280	170	8,50
1400-315	170	12,80
1400-355	170	14,00
1400-400	215	42,00
1400-450	215	42,00
1400-500	215	42,00
1600-280	170	8,50
1600-315	170	12,80
1600-355	170	14,00
1600-400	215	42,00
1600-450	215	42,00
1600-500	215	42,00



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	L	Ağırlık
mm	mm	kg
110-75	120	0,60
110-90	80	0,60
110-110	80	1,05
125-75	80	0,60
125-90	80	0,60
125-110	125	1,05
125-125	125	1,20
140-75	120	0,60
140-90	80	0,60
140-110	125	1,05
140-125	125	1,20
160-75	120	0,60
160-90	80	0,60
160-110	125	1,05
160-125	125	1,20
160-140	140	1,80
160-160	140	2,20
180-75	120	0,60
180-90	80	0,60
180-110	125	1,05
180-125	125	1,20
180-140	140	1,80
180-160	150	2,20
180-180	120	0,60
200-75	80	0,60



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	L	Ağırlık
mm	mm	kg
200-90	80	0,60
200-110	110	1,05
200-125	80	1,20
200-140	110	1,80
200-160	140	2,20
200-180	150	2,30
225-75	120	0,60
225-90	80	0,60
225-110	125	1,05
225-125	125	1,20
225-140	140	1,80
225-160	150	2,20
225-180	150	2,30
225-200	170	4,80
225-225	170	4,50
250-75	120	0,60
250-90	80	0,60
250-110	125	1,05
250-125	125	1,36
250-140	140	1,80
250-160	150	2,20
250-180	150	2,30
250-200	170	4,80
250-225	170	4,50
250-250	170	4,80



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11



Çap	L	Ağırlık
mm	mm	kg
280-75	120	0,60
280-90	80	0,60
280-110	125	1,05
280-125	125	1,20
280-140	140	1,80
280-160	150	2,20
280-180	150	2,30
280-200	130	4,80
280-225	150	4,50
280-250	170	4,80
315-75	120	0,60
315-90	80	0,60
315-110	125	1,05
315-125	125	1,20
315-140	140	1,80
315-160	150	2,20
315-180	150	2,30
315-200	170	4,80
315-225	170	4,50
315-250	190	8,00
355-75	120	0,60
355-90	80	0,60
355-110	125	1,05
355-125	125	1,20
355-140	140	1,80



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	L	Ağırlık
mm	mm	kg
355-160	150	2,20
355-180	150	2,30
355-200	170	4,80
355-225	170	4,50
355-250	190	8,00
400-75	120	0,60
400-90	80	0,60
400-110	125	1,05
400-125	125	1,20
400-140	140	1,80
400-160	150	2,20
400-180	150	2,30
400-200	170	4,80
400-225	170	4,50
400-250	190	8,00
450-75	120	0,60
450-90	80	0,60
450-110	125	1,05
450-125	125	1,20
450-140	140	1,80
450-160	150	2,20
450-180	150	2,30
450-200	170	4,80
450-225	170	4,50
450-250	190	8,00



POLİBOR

PLASTİK




**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**

HDPE EF SADDLE PN16 / SDR 11




Çap	L	Ağırlık
mm	mm	kg
500-75	120	0,60
500-90	80	0,60
500-110	125	1,05
500-125	125	1,20
500-140	140	1,80
500-160	150	2,20
500-180	150	2,30
500-200	170	4,80
500-225	170	4,50
500-250	190	8,00
560-75	120	0,60
560-90	80	0,60
560-110	125	1,05
560-125	125	1,20
560-140	125	1,80
560-160	140	2,20
560-180	150	2,30
560-200	170	4,80
560-225	170	4,50
560-250	190	8,00
630-75	120	0,60
630-90	80	0,60
630-110	125	1,05
630-125	125	1,20
630-140	140	1,80



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11




Çap	L	Ağırlık
mm	mm	kg
630-160	150	2,20
630-180	150	2,30
630-200	170	4,80
630-225	170	4,50
630-250	190	8,00
710-75	120	0,60
710-90	80	0,60
710-110	125	1,05
710-125	125	1,20
710-140	140	1,80
710-160	150	2,20
710-180	150	2,30
710-200	170	4,80
710-225	170	4,50
710-250	190	8,00
800-75	120	0,60
800-90	80	0,60
800-110	125	1,05
800-125	125	1,20
800-140	140	1,80
800-160	150	2,20
800-180	150	2,30
800-200	170	4,80
800-225	170	4,50
800-250	190	8,00



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11



Çap	L	Ağırlık
mm	mm	kg
900-75	120	0,60
900-90	80	0,60
900-110	125	1,05
900-125	125	1,20
900-140	140	1,80
900-160	150	2,20
900-180	150	2,30
900-200	170	4,80
900-225	170	4,50
900-250	190	8,00
1000-75	120	0,60
1000-90	80	0,60
1000-110	125	1,05
1000-125	125	1,20
1000-140	140	1,80
1000-160	150	2,20
1000-180	150	2,30
1000-200	170	4,80
1000-225	170	4,50
1000-250	190	8,00
1200-75	120	0,60
1200-90	80	0,60
1200-110	125	1,05
1200-125	125	1,20
1200-140	140	1,80



**HDPE ELEKTROFÜZYON SEMER PN16 /
SDR 11**
HDPE EF SADDLE PN16 / SDR 11



Çap	L	Ağırlık
mm	mm	kg
1200-160	150	2,20
1200-180	150	2,30
1200-200	170	4,80
1200-225	170	4,50
1200-250	190	8,00
1400-75	120	0,60
1400-90	80	0,60
1400-110	125	1,05
1400-125	125	1,20
1400-140	140	1,80
1400-160	150	2,20
1400-180	150	2,30
1400-200	170	6,40
1400-225	170	4,80
1400-250	190	6,00
1600-75	120	0,60
1600-90	80	0,60
1600-110	125	1,05
1600-125	125	1,20
1600-140	140	1,80
1600-160	150	2,20
1600-180	150	2,30
1600-200	170	6,40
1600-225	170	4,80
1600-250	190	6,00